CLAIMS

- 1. An isolated nucleic acid molecule encoding a Streptococcus pneumoniae Hsp60.
- 2. An isolated nucleic acid molecule encoding a Streptococcus pyogenes Hsp60.
 - An isolated nucleotide molecule selected from the group consisting of: 3.
 - (a) an isolated nucleic acid molecule comprising the sequence of SEQLO

NO:1 from nucleotides 15-1652;

- an isolated nucleic acid molecule comprising the sequence of SEQ ID (b) NO:3 from nucleotides 15-1640;
- an isolated nucleic acid molecule comprising the sequence of SEQ ID (c) NO:5 from nucleotides 15-1649;
- an isolated nucleic acid molecule comprising the sequence of SEQ ID (d) NO:7 from nucleotides 15-1652;
- an isolated nucleic acid molecule complementary to any one of the (e) nucleotides of SEQ ID NOS:1, 3, 5 of 7 set forth in (a) through (d), respectively; and
- an isolated nucleic acid molecule that hybridizes under conditions of **(f)** high stringency to the nucleic acid molecules of any one of (a) through (e).
- An isolated nucleic acid molecule that specifically hybridizes to the nucleic acid molecule of any one of SEQ ID NO:1 from nucleotides 15-1652, SEQ ID NO:3 from nucleotides 15-1640, SEQ ID NO:5 from nucleotides 15-1649, or SEQ ID NO:7 from nucleotides 15-1652 or a complement thereof under conditions of high stringency.

An isolated nucleic acid molecule comprising a nucleotide sequence 5. that is identical to a segment comprising at least 25% of contiguous nucleotide bases of any one of SEQ ID NO:1 from nucleotides 15-1652, SEQ ID NO:3 from nucleotides 15-1640,

101 SEQ ID NO:5 from nucleotides 15-1649, or SEQ ID NO:7 from nucleotides 15-1652 or a complement thereof.

- 6. An isolated nucleic acid molecule encoding Hsp60 comprising a nucleic acid sequence that encodes a polypeptide comprising any one of SEQ ID NOS: 2, 4, 6 or 8 or a variant Hsp60 that is at least 95% homologous to a polypeptide according to any one of SEQ ID NOS: 2, 4, 6 or 8.
- 7. An isolated nucleic acid molecule according to claim 3, encoding a polypeptide that is able to be selectively bound by an antibody specific for a *Streptococcus pneumoniae* Hsp60 or a *Streptococcus pyogenes* Hsp60.
- 8. An isolated nucleic acid molecule encoding at least 8 amino acids of a Streptococcal Hsp60 polypeptide selected from amino acid residues 1-545 of SEQ ID NO:2, amino acid residues 1-541 of SEQ ID NO:4, amino acid residues 1-544 of SEQ ID NO:6, and amino acid residues 1-545 of SEQ ID NO:8, wherein the encoded Streptococcal Hsp60 polypeptide is able to bind to a major histocompatibility complex.
 - 9. An isolated Streptococcus pneumoniae Hsp60 polypeptide.
 - 10. An isolated Streptococcus pyogenes Hsp60 polypeptide.
- 11. An isolated Hsp60 polypeptide comprising the amino acid sequence of any one of a Streptococcal Hsp60 polypeptide selected from amino acid residues 1-545 of SEQ ID NO:2, amino acid residues 1-541 of SEQ ID NO:4, amino acid residues 1-544 of SEQ ID NO:6, and amino acid residues 1-545 of SEQ ID NO:8, or variants thereof, wherein the polypeptide is able to be selectively bound by an antibody specific for either a *Streptococcus pneumoniae* Hsp60 and/or *Streptococcus pyogenes* Hsp60.



- 12. The isolated Hsp60 polypeptide according to any one of claims 9-11, wherein the Hsp60 polypeptide is fused to an additional polypeptide to create a fusion protein.
- 13. An isolated Hsp60 polypeptide comprising at least 8 amino acids selected from amino acid residues 1-545 of SEQ ID NO:2, amino acid residues 1-541 of SEQ ID NO:4, amino acid residues 1-544 of SEQ ID NO:6, and amino acid residues 1-545 of SEQ ID NO:8, wherein the Hsp60 polypeptide is capable of binding to a major histocompatibility complex and eliciting or enhancing an immune response to *Streptococcus* in a human being.
- 14. The isolated Hsp60 polypeptide according to claim 11 wherein the polypeptide is derived from proteolytic cleavage.
- 15. The isolated Hsp60 polypeptide according to claim 11 wherein the polypeptide is derived from chemical synthesis.
- 16. The isolated Hsp60 according to claim 11 wherein the Hsp60 is an expression product of a transformed host cell containing a nucleic acid molecule encoding the Hsp60 or portion thereof.
- 17. The isolated Hsp60 polypeptide according to claim 11 wherein the polypeptide comprises greater than 95% homology to any one of a Streptococcal Hsp60 polypeptide selected from amino acid residues 1-545 of SEQ ID NO:2, amino acid residues 1-5410 of SEQ ID NO:4, amino acid residues 1-544 of SEQ ID NO:6, and amino acid residues 1-545 of SEQ ID NO:8, and wherein the Hsp60 polypeptide is able to be selectively bound by an antibody specific for either a *Streptococcus pneumoniae* Hsp60 or *Streptococcus pyogenes* Hsp60 or both.

- 18. An isolated polypeptide wherein the polypeptide is an expression product of a transformed host cell containing the nucleic acid molecule of any one of claims 1-8.
- 19. A vector comprising an isolated nucleic acid molecule according to any one of claims 1-8.
- 20. The vector according to claim 19 wherein the vector is an expression vector comprising a promoter in operative linkage with the isolated nucleic acid molecule encoding the Hsp60 or portion thereof.
- 21. The vector according to claim 20, further comprising a selectable or identifiable marker.
- 22. The vector according claim 20 wherein the promoter is a constitutive or an inducible promoter.
 - 23. A host cell containing a vector according to claim 19.
- The host cell according to claim 24 wherein the host cell is selected from the group consisting of a bacterial cell, a mammalian cell, a yeast cell and an insect cell.
- 25. A composition comprising an Hsp60 polypeptide of any one of claims 9-16 in combination with a pharmaceutically acceptable carrier or diluent.
- 26. The composition according to claim 25 wherein the composition is suitable for systemic administration.
- 27. The composition according to claim 25 wherein the composition is suitable for oral administration.

- 28. The composition according to claim 25 wherein the composition is suitable for parenteral administration.
- 29. A method for eliciting or enhancing an immune response in a mammal against *Streptococcus*, comprising administering to the mammal an effective amount of an Hsp60 polypeptide according to any one of claims 9-16 in combination with a pharmaceutically acceptable carrier or diluent.
- 30. A method for eliciting or enhancing an immune response in a mammal against a target antigen comprising administering to the mammal the target antigen joined to an Hsp60 polypeptide according to any one of claims 9-16 in combination with a pharmaceutically acceptable carrier or diluent.
- 31. A composition comprising an isolated nucleic acid molecule of any one of claims 1-8 wherein the isolated nucleic acid molecule encodes a polypeptide having at least one amino acid difference from a corresponding polypeptide of an Hsp60 protein from an organism other than *Streptococcus*.

